



6825 W. Sam Houston Parkway N.  
Houston, TX 77041  
1-800-283-6266  
[www.enconsafety.com](http://www.enconsafety.com)

January 6, 2026

**URGENT: DRUG RECALL- AQ120 GFEW, AQUARION PRESERVED CARTRIDGES (2) @ 3.7 GALLON EACH**

Dear Industrial Consumers and Distributors:

This is to inform you of a product recall involving:

**AQUARION REFILL CARTRIDGE AQ120 PRESERVED CARTRIDGES (2) @ 3.7 GALLONS EACH**

Lot	Expiration Date	Lot	Expiration Date	Lot	Expiration Date
239066	1/24/2027	389066	1/24/2027	399204	9/25/2027
378106	3/8/2026	389477	2/21/2027	400300	10/16/2027
379202	3/29/2026	392491	3/13/2027	403177	11/8/2027
379750	4/24/2026	393724	4/3/2027	403314	11/25/2027
380983	5/24/2026	394683	4/29/2027	405095	1/24/2028
382901	7/11/2026	395094	5/29/2027	406328	2/14/2028
384682	8/16/2026	395231	6/18/2027	407700	4/3/2028
386189	9/20/2026	395368	7/17/2027	407974	4/17/2028
387559	10/11/2026	397971	11/8/2027	410166	6/13/2028
388381	11/2/2026	398930	8/28/2027	410988	7/1/2028

This voluntary recall has been initiated due to inadequate current good manufacturing practice requirements for AQ120 Non-Sterile Eyewash Cartridges. Use of this product could result in a range of ocular infections such as bacterial keratitis or endophthalmitis. Immunocompromised individuals, those sustaining ocular injuries that damage the corneal epithelium, and those sustaining penetrating ocular injuries are at higher risk of potential infection. To date, Encon Safety Products has not received any reports of adverse events related to this voluntary recall.

We began shipping this product on December 2023 through November 2025 in the USA consisting of 7,677 units.

Immediately examine your inventory and quarantine product subject to recall. In addition, if you may have further distributed this product, please identify your customers and notify them at once of this product recall. Your notification to your customers may be enhanced by including a copy of this recall notification letter.

---



6825 W. Sam Houston Parkway N.  
Houston, TX 77041  
1-800-283-6266  
[www.enconsafety.com](http://www.enconsafety.com)

For product that is recalled, please provide the following on the enclosed form:

Lot Number:  
Date of Destruction:  
Witness of product destruction (name and company)  
Photo of destroyed bag including lot number and expiry date  
Location of destruction

Please complete and return the enclosed response form as soon as possible via email or hard copy.

[productsafety@enconsafety.com](mailto:productsafety@enconsafety.com)

This voluntary recall is being made with the knowledge of the Food and Drug Administration.

If you have any questions, please call 800-283-6266.

Sincerely,

A handwritten signature in black ink that reads "Joel Polleschultz". The signature is written in a cursive style with a large, looping initial "J".

Joel Polleschultz  
General Manager  
Encon Safety Products  
Houston, Texas



## AQ 120 PRODUCT RECALL – RETURN RESPONSE AND DESTRUCTION VERIFICATION FORM

*Documentation of Product Destruction (Deemed Unusable) With Witness Certification*

**Instructions:** Complete all sections. Attach or embed clear photos showing the product before, during, and after destruction. Photos must clearly demonstrate the product is rendered unusable and cannot re-enter commerce. Retain this record with the recall file. Lot number and expiration date can be found between the handles at the top of each bag. Each Kit will include two saline bags.

### 1. Recall / Product Information

<b>Recall Reference</b>	January 6, 2026
<b>Product Name / Description</b>	AQ120 GFEW
<b>Item</b>	AQ120
<b>Lot # Bag 1/2</b>	
<b>Lot # Bag 2/2</b>	
<b>Expiration Date</b>	
<b>Owner of Product at Destruction (e.g., distributor, consumer, retailer)</b>	

### 2. Destruction Event Details

<b>Field</b>	
<b>Date of Destruction</b>	
<b>Time</b>	
<b>Location of Destruction (site name)</b>	
<b>Street Address (Incl. city/state/zip/country)</b>	
<b>Destruction Method (e.g., punctured)</b>	
<b>Product Rendered Unusable After Destruction</b>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<b>How Product Was Rendered Unusable (describe)</b>	
<b>Disposal / Destruction</b>	
<b>Notes</b>	



**3. Quantities Destroyed**

List each lot/batch/serial destroyed. If additional lines are needed, attach an additional page and reference it here. If you have no products in inventory, please indicate here as NO INVENTORY.

Line	Product	Lot/Batch/Serial	Qty Destroyed	Any adverse events associated with the product? Yes/No	If Yes, please explain
1					
2					
3					
4					
5					

**4. Photo Documentation (Attach or Embed in email)**

Minimum recommended photos: (a) before destruction, (b) during destruction, (c) after destruction, and (d) close-up showing the product is unusable. Please attach a hard copy or email

**5. Witness and Signatures**

**Witness Certification:** I certify that I witnessed the destruction of the product(s) listed above on the date and at the location stated, and that the destroyed product is deemed unusable and cannot re-enter commerce.

<b>Witness Name</b>	
<b>Witness Company</b>	
<b>Witness Title / Role</b>	
<b>Witness Phone / Email</b>	
<b>Witness Signature</b>	_____
<b>Date Signed</b>	

*Record Retention: Keep this completed form and photo evidence with the recall file per your internal retention policy and any applicable regulatory requirements.*