



20 WILDLAND
24 CATALOG

CURTIS
TOOLS FOR HEROES®



WILDLAND FIREFIGHTING PRODUCT CATALOG



VENDOR PARTNERS

Curtis only partners with the BEST vendors of wildland products. Although the companies below do not represent our entire line of products, they represent an experienced group that have product respect industry-wide. We consider these high quality vendors to be premier partners with the Curtis team.



ADDITIONAL PRODUCTS

The products shown in this catalog represent only a portion of the equipment we sell. Please contact us for all your emergency, fire, safety, personal protective equipment, haz-mat, confined space and disaster preparedness equipment needs.



SCAN TO SHOP ONLINE

SAFETY WARNING NOTICE

Products offered, sold, or invoiced may have an applicable Safety Data Sheet (SDS) as prepared by the manufacturer of the product. The SDS is provided with the product. In addition, manufacturer's safety and/or warning notices, instructions and information relating to the proper use and care of the product is provided with the product. All applicable SDS, safety and/or warning notices, instructions and other information provided with the product should be thoroughly read, reviewed, and understood prior to handling, distributing, using, reselling, or servicing any and all products provided by Curtis. Materials utilized to clean, repair, maintain and/or service your owned equipment, as well as Curtis owned equipment, may contain per-and polyfluoroalkyl substances (PFAS) to meet national standards or original equipment manufacturer specifications.



SCAN FOR PRODUCT NOTICES & WARNINGS, AND FEMSA PERSONAL RESPONSIBILITY CODE OR TO REQUEST INFORMATION

The information contained in this publication is intended for general information purposes only and is based on information available as of the initial date of publication. No representation is made that the information or references are complete or remain current.



WLS1772

WLS2072

CREWBOSS™ WILDLAND JACKET

This jacket achieves new levels of breathability, thermal protection, and comfort. Combine the CrewBoss Gen II Response Jacket with a pair of CrewBoss Gen II Tactical or Uniform Pants for an advanced wildland garment system.

Item #	Description
WLS0772	Jacket, 7 oz. Sigma 4 Star NOMEX® IIIA Yellow <i>Certified to NFPA 1977 & 1975</i>
WLS1772	Jacket, 7 oz. Sigma 4 Star Yellow Twill <i>Certified to NFPA 1977</i>
WLS2072	Jacket, 7 oz. Sigma 4 Star Yellow Twill with 2" L/Y Comfort Trim <i>Certified to NFPA 1977</i>



These jackets can be embellished with the CAL FIRE logos as appropriate.



SWP3524

SWP3724

CREWBOSS™ GEN II PANTS

Certified to NFPA 1977 and 1975

These Gen II pants combine a modernized station wear look, with the wildland functionality that you would expect from a CrewBoss Brush Pant.

Item #	Description
SWP3724	Tactical Pants, 7.5 oz. NOMEX® IIIA, S469 Twill Midnight Navy
SWP3721	Tactical Pants, 7.5 oz. NOMEX® IIIA, S469 Twill Black
SWP3524	Uniform Pants, 7.5 oz. NOMEX® IIIA, S469 Twill Midnight Navy
SWP3521	Uniform Pants, 7.5 oz. NOMEX® IIIA, S469 Twill Black



Workrite® CAL FIRE SPEC PANTS

FIRE SERVICE



NFPA 1977 and NFPA 1975 compliant

Workrite manufactures station wear that offers a valuable layer of added FR protection while still offering a professional appearance, easy care and an exceptionally long wear life.

Item #	Description
FP32	CAL FIRE Wildland Work Pant, 7.5 oz. NOMEX IIIA Twill
FP62-CF	CAL FIRE Dual-Compliant Wildland Tactical Pant, 7.5 oz. NOMEX® IIIA Twill



FP32



FP62-CF



CFC0222

CFC0122

CFP0122

CREWBOSS™ GEN II RESPONSE

Certified to NFPA 1977

Both Style 362 and 469 were engineered for the optimum combination of thermal protection and durability while still providing unparalleled comfort. These rugged fabrics stand up to the toughest terrain, long hours and hard labor of real-world wildland firefighting.

Item #	Description
CFC0222	Jacket, S362/S469 Yellow with 2" Reflective Trim on sleeves
CFC0122	Jacket, S362/S469 Yellow with 2" Reflective L/Y Trim sleeve/panels
CFP0122	Pants, S362 5.8 oz. NOMEX® IIIA Yellow



CAL FIRE SPEC SINGLE-LAYER PANTS

NFPA 1977 and 1975 compliant

Item #	Description
SWP46241	Tactical Pants, S469 Midnight Navy 7.5 oz. NOMEX® IIIA Twill
SWP44241	Uniform Pants, S469 Midnight Navy 7.5 oz. NOMEX® IIIA Twill

DUAL CERT ELITE PANTS

NFPA 1977 and 1975 compliant

Certified for both station and wildland use, the dual compliant CrewBoss Elite Pants are designed to combine a more ergonomic fit with increased function.

Item #	Description
SRP0104	Pants, 6 oz. NOMEX® IIIA, Navy Blue
SRP0119	Pants, 7 oz. Tecasafe® Plus, Navy Blue

ELITE BRUSH PANTS

NFPA 1977 compliant

Item #	Description
SRP0108	Pants, 6 oz. NOMEX® IIIA, Spruce Green
SRP0120	Pants, 7 oz. Tecasafe® Plus, Spruce Green

STATIONWEAR/WILDLAND PANTS

NFPA 1977 and 1975 compliant

This is the perfect pant for rural and volunteer departments servicing WUI.

Item #	Description
SWP0104	Pants, 6 oz. NOMEX® IIIA, Navy Blue
SWP0119	Pants, 7 oz. Tecasafe® Plus, Navy Blue

CLASSIC BRUSH PANTS

NFPA 1977 compliant

Item #	Description
WLP0128	Pants, 7 oz. ADVANCE™, Spruce Green



SRP

SWP46241

SWP

WLP

PGI PREMIER COAT AND PANTS

 WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

NFPA 1977 and CAL-OSHA compliant

The Premier line represents a leap forward in wildland firefighting clothing by combining safety with comfort in a complete and versatile package. The Premier Coat and Pants are available in Tecasafe® Plus, NOMEX® IIIA, and ADVANCE™. Colors: Yellow, Tan, Green or Navy.

PREMIER COAT

Item #	Description
4002T	Coat, 7 oz. Tecasafe® Plus
4002N	Coat, 6 oz. NOMEX® IIIA
4002A	Coat, 7 oz. ADVANCE™

PREMIER PANTS

Item #	Description
4003T13FL	Pants, 7 oz. Tecasafe® Plus
4003N	Pants, 6 oz. NOMEX® IIIA, without Leg Zippers
4003N13FL	Pants, 6 oz. NOMEX® IIIA, with Leg Zippers
4003A13FL	Pants, 7 oz. ADVANCE™



Premier Coat
4002N

Premier Pants
4003N13FL

PGI FIRELINE CLASSIC SHIRTS/JACKETS

 WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

NFPA 1977 & CAL-OSHA compliant

The Classic Shirt/Jacket features a shirt-type collar, two chest pockets (3.5" x 3.5"), and adjustable hook and loop wrist closures. Available in NOMEX® IIIA and Tecasafe® Plus. Color: Yellow.

Item #	Description
S130N6	PGI Fireline Shirt, 6 oz. NOMEX® IIIA
S130T	PGI Fireline Shirt, 7 oz. Tecasafe® Plus



PGI S130N6

CrewBoss
WLS0235

CrewBoss
WLS0135

CrewBoss
WLS0335

CREWBOSS™ BRUSH SHIRTS


Certified to NFPA 1977

With varying features, each shirt style provides superior personal protection with dependable strength, plus are lightweight, breathable and inherently flame resistant.

Item #	Description
WLS0135	CrewBoss Brush Shirt, 5.8 oz. Tecasafe® Plus
WLS0235	CrewBoss Traditional Brush Shirt, 5.8 oz. Tecasafe® Plus
WLS0335	CrewBoss Hickory Brush Shirt, 5.8 oz. Tecasafe® Plus

BELT OPTIONS

Item #	Description
ACD0247	CrewBoss Ranger Belt, Black
20242	CMC Uniform Rappel Belt, Black



ACD0247



20242

DFND FR PERFORMANCE BASE LAYER GARMENTS

The FireDFND Collection is made with TenCate TechT4 fabric, a soft and comfortable fabric that provides better protection than cotton. TenCate TechT4 delivers the added bonus of anti-microbial protection which helps to reduce the chance of unpleasant odors in the garment. TenCate TechT4 makes the perfect addition to multi-layer, flame-resistant clothing systems. It is “non-contributory”, which means it self extinguishes and won’t ignite, melt, drip or char. TechT4 enhances the protection level of your FR ensemble.

SHIRT

Item #	Description
FR108	Shirt, Short Sleeve Raglan Sleeve, no pocket (women’s #FR115)
FR208	Shirt, Short Sleeve Traditional Sleeve, no pocket
FR211	Shirt, Short Sleeve Traditional Sleeve, with pocket
FR109	Shirt, Long Sleeve Raglan Sleeve, no pocket
FR209	Shirt, Long Sleeve Traditional Sleeve, no pocket



LONG JOHN

Item #	Description
FR112	Long John



PERFORMANCE SHORT

Item #	Description
FR114	Performance Short

COMPRESSION SOCKS

Item #	Description
UC316	Wool Recovery Compression Socks

DFND Active Ax & Recovery Rx COMPRESSION WEAR



Item #	Description
MC218	Hybrid Ax/Rx Compression Shirt
MC219	Hybrid Ax/Rx LS Compression Shirt
MC202	Active Ax Compression Short
MC200	Active Ax Compression Tights
MC203	Recovery Rx Compression Tights

WILDFIRE® HELMETS

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
ADVERTENCIA: Cáncer y Daño Reproductivo - www.P65Warnings.ca.gov.
AVERTISSEMENT: Cancer et Troubles de l'appareil reproducteur - www.P65Warnings.ca.gov.

NFPA 1977 compliant

Wildfire® helmets are made of a heat-resistant thermoplastic that offers superior impact and penetration protection in wildland firefighting conditions. This helmet is available in a Hat-style for full brim coverage and a Cap-style for front brim coverage. Colors: Red, White, Yellow, Black, Blue, Orange, Lime-Yellow, or Dove Grey.

Item #	Description
FH911H	Wildfire® Helmet Hat-style
FH911C	Wildfire® Helmet Cap-style
FH911HXL	Wildfire® Helmet XL Brim




WILDLAND GOGGLES



ESS offers three different Wildland goggle series. The ESS Firepro 1977™ series is based on the ESS Profile NVG™ low profile military goggle. The ESS Striketeam™ series is a high volume goggle that fits over prescription eyewear. The ESS Influx FirePro-1977™ wildland goggles have low-profile frames and feature the patented Adjustable Ventilation System™ AVS, for a dust-free, fully-sealed mode, or a fog-free, open-ventilation mode. All three series are Rx compatible.

Item #	Description
740-0377	FirePro-1977 FS™, wrap-around strap, meets NFPA 1977
740-0378	FirePro-1977 EX, two-piece strap system, meets NFPA 1977
740-0380	FirePro-1977 Asian-Fit, wrap-around strap, meets NFPA 1977
740-0283	Striketeam XTO™ Goggle, includes two tear-off lens covers, meets NFPA 1500
740-0236	Striketeam WF with Clear Lens, meets NFPA 1500
740-0287	X-tricator with Clear Lens, meets NFPA 1500
EE7018-24	Influx FirePro-1977 FS, full strap and two Velcro tabs, meets NFPA 1977
EE7018-25	Influx FirePro-1977 EX, two-piece strap system, meets NFPA 1977

ANSI Z87.1 and U.S. Federal OSHA compliant

 **WARNING:** Cancer and Reproductive Harm-www.P65Warnings.com.



JACKSON SAFETY V80 WILDCAT SAFETY GOGGLES

ANSI Z87.1 and CSA Z94.3 compliant

Item #	Description
20525	V80 WildCat Goggles, clear anti-fog lens, black frame
20526	V80 WildCat Goggles, smoke anti-fog lens, black frame
20527	V80 WildCat Goggles, amber anti-fog lens, black frame

- Extreme heat resistance - will not melt, drip, ignite at 350°
- Adjustable side vents help increase airflow
- Lightweight & comfortable with a pivot headband for optimal placement
- Metal-free design to minimize electrical transference risk
- D4 rating for dust protection





HOT SHIELD USA FACE MASKS

These firefighter designed and tested facial protection options use CarbonX fabric, the most inherently non-flammable fabric in the world.

Item #	Description
HS-2	Wildland Firefighter Face Mask
UNI-V2	Wildland Firefighter Ultra Shroud
UB-V2	Wildland Firefighter Ultimate Bandanna
HS-4COMBO	Respirator and Face Protector
DPM	Replacement filter for HS-2
WC-1	Web Case Carry Pouch

HOT SHIELD® Web Case Carry Pouch



Can store any Hot Shield face mask, with room to spare for goggles or other small items. Attaches to web gear or belt.

CREWBOSS™ EAR, NECK & FACE PROTECTORS

CrewBoss 7 oz. Tecasafe Ear/Neck/Face Protector. Compatible with both Morning Pride and Bullard style wildland helmets. Constructed from 7 oz. Tecasafe for optimal protection. Pressure-sensitive hook and loop tabs allow for easy installation.

Item #	Description
WLF0217	Oversized
WLF0517	Full
WLF0317	Medium
WLF1072	Oversized CAL FIRE Face Protector



Bullard® EAR, NECK & FACE SHROUD and PROTECTOR



Item #	Description
R222	Ear Neck Face Shroud, NOMEX®
R223	Ear Neck Face Protector, NOMEX® backed with fire resistant cotton

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
ADVERTENCIA: Cáncer y Daño Reproductivo - www.P65Warnings.ca.gov.
AVERTISSEMENT: Cancer et Troubles de l'appareil reproducteur - www.P65Warnings.ca.gov.

PGI WILDLAND HELMET SHROUD

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

CAL-OSHA compliant

The Wildland Firefighting Helmet Shroud provides ears, neck and face with added protection against heat, smoke, and flying debris. Available with Velcro loops for secure attachment to the helmet suspension.

3620272
FR Cotton Lined



Item #	Description
3620272	FR Cotton Lined Helmet Shroud, NOMEX®
3610272-41-LN	Unlined Helmet Shroud w/Velcro Loops, NOMEX®
3620272-41-LN	FR Cotton Lined Helmet Shroud w/Velcro Loops, NOMEX®



MODERN FIREFIGHTER

NFPA 1977 & 1999 compliant



Durable, polishable full grain leather upper with a rubber toe cap. Vibram® S587 fire and ice oil- and slip-resistant outsole.

Item #	Description
18051	Modern Firefighter Boot, 8" Composite Toe



WILDLAND TACTICAL FIREFIGHTER

NFPA 1977 compliant



Reinforced opanka-stitch construction providing a superior bond between the upper and outsole. Vibram® S587 specially designed for oil-and-slip-resistant traction.

Item #	Description
18050	8", Rough-Out
18054	8", Smooth-Out

WHITE'S®



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LINE SCOUT LACE-TO-TOE

NFPA 1977 compliant



When you are on your feet and hard at work all day, a good pair of boots is a necessity. As part of the Hathorn Explorer by White's line, this is a hard working boot at a great value. 10" leather uppers.

Item #	Description
H7809	Line Scout Lace-to-Toe



STATION/WILDLAND 10"

NFPA 1977 compliant



These boots have a cool and breathable AEROSPACER mesh lining plus a light and flexible PREDATOR™ outsole. Also included are safety toe cap, penetration-resistant insole, and shank for added protection.

Item #	Description
F201050	Men's 10" Station/Wildland Boot
F20105W	Women's 10" Station/Wildland Boot



FC-87SL

NFPA 1977 compliant

CAL FIRE APPROVED

Comfortable, snug-fitting glove that is designed to be worn for extended periods of time. Combination grain leather on the back and digitized leather on the palm. Sizes: 2XS, XS, S, M, L, XL, 2XL, 3XL



Item #	Description
FC-87SL	Gauntlet Style



FC-87

NFPA 1977 compliant *While supplies last Replaced by FC-87SL*

The FireCraft FC-87 is an inexpensive option in a truly comfortable fire glove (with metal clasp or without). Sizes: XS, S, M, L, XL, 2XL, 3XL



FC-87MC

Item #	Description
FC-87	Gauntlet Style, without metal clasp
FC-87MC	Gauntlet Style, with metal clasp
FC-87W-MC	Wristlet Style, with metal clasp

Item #	Description
FX-15*	The Work Glove*, leather and durable

*The Work Glove is NOT NFPA 1977 compliant and is NOT rated for firefighting.



WILDLAND FIRE BOOT

NFPA 1977 compliant



Nearly half the weight of traditional fire boots, these boots keep firefighters on their feet in harsh conditions without fear of boot failure. Durable and maintain all-day comfort.

Item #	Description
KE-420-WF	10" Rough Out with 2.8mm piece vamp construction. Black or Brown color

SHELBY 5002

NFPA 1977 compliant

Shelby Model 5002 is made of 3 oz. Pigskin and features Keystone Thumb Reinforced Protection in the thumb and palm. Sizes: XS, S, M, L, XL and Jumbo



5002 Wristlet 5002F Gauntlet

Item #	Description
5002	Wristlet Style
5002F	Gauntlet Style

PRO-TECH 8 PT-8-W

NFPA 1977 compliant

Rugged cowhide suede outer shell. Sizes: XS, S, M, L, XL, 2XL and 3XL



PT-8-W

Item #	Description
PT-8-W	Regular Cuff
PT-8-WK	Knit Wristlet Cuff
PT-8-WDB	Debris Blocker Cuff





STREAMLIGHT

TRIDENT®

Item #	Description
61050	Trident, 3 AAA (included)



SEPTOR®

Item #	Description
61052	Septor, 3 AAA (included)



LED HEADSUP

Item #	Description
2690B	LED HeadsUp Lite, 3 AAA Batteries (included)

2765 HEADLAMP

Item #	Description
2765B	2765 Headlamp, black
2765Y	2765 Headlamp, yellow 3 AAA Batteries for each (included)



**COMMAND+ LOPRO
HELMET LIGHT**

Item #	Description
420-L06	Command+ LOPRO White & Green LED Helmet Light, 4 AA (not included)



**COMMAND+
TILT HEADLAMP**

Item #	Description
420-T15	Command+ Tilt White & Amber LED Headlamp, 4 AA (not included)



PETZL® PIXA® 2

Item #	Description
E78BHB 2UL	PIXIA 2, with Constant Lighting Technology, 2 AA Batteries (included)



Item #	Description
9-080	SnapLight (Colors: green, yellow, orange, red, blue or white)



NIGHTSTICK® DICATA®
Life Depends on Light™

Item #	Description
XPP-5462GX	DICATA Dual-Light Headlamp, 3 AA Batteries (included)

WARNING: This product can expose you to chemicals including lead, DHEP, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

TRAFFIC CONTROL & SCENE MANAGEMENT



Item #	Description
0730	Orion 30-Minute Flare
SACFC30	CY Plastics 30-Minute Flare Container (up to 12 flares)
7830	Orion 30-Minute Flare Holder (up to 18 flares)
SP4-R-Y PFD	4-PowerFlare Soft Pack
SP8-R-Y PFD	8-PowerFlare Soft Pack
100725	Hi-Way Safety Triangle Flare Kit
105258	Hi-Way Safety 18" Stop/Slow Reflective Paddle with 12" Handle
100620	Hi-Way Safety 28" Traffic Cone with Reflective Collars
100619	Hi-Way Safety 18" Traffic Cone with 4" Reflective Collar
B3104Y16	Barricade Tape, "CAUTION," Black on Yellow, 3"W x 1000'L
BT273X1000	Barricade Tape, "FIRELINE DO NOT CROSS," Black on Yellow, 3"W x 1000'L
Misc	Flagging Tape (multiple colors/styles)
135	Rite in the Rain All-Weather Pocket Notebook
378	Rite in the Rain Top-Bound Memo
TC-ED-LSC-2L	19" Collapsible Lighted Cone
17714-5-28	28" Collapsible Cone, 5 per pack
Misc	Wildland Fire Sign Systems (multiple options available)

Flagging Tape | Multiple Colors/Styles Available
WARNING: This product can expose you to chemicals including Polyvinyl Chloride, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

FIRE SHELTERS



M2002
M2002LR

Item #	Description
M2002	New Generation Fire Shelter (REGULAR), Forest Service Spec 5100-606, NFES 0925 & NSN 4240-01-498-3194
M2002LR	New Generation Fire Shelter (LARGE), Forest Service Spec 5100-606, NFES 0975 and NSN 4240-01-527-5248
M2002TR	Training Shelter (REGULAR), NFES 2678 and NSN 6930-01-499-0605
M2002TRLR	Training Shelter (LARGE), NFES 2799 and NSN 6930-01-529-8807
90059	Blue Carrying Case, Forest Service Spec 5100-609, NFES 0927 and NSN 8465-01-498-3190
7252237	Carrying Case Liner, Forest Service Spec 5100-610, NFES 0928 and NSN 8465-01-498-3191
90053	Polyvinyl Bag for Training Shelter, Forest Service Spec 5100-611, NFES 2681 and NSN 6930-01-499-0618
HFS-HR-3102-BK	Wolfpack Gear Fire Shelter Case - Horizontal Mount
VFS-HR-3102-BK	Wolfpack Gear Fire Shelter Case - Vertical Mount
112664-001-00	Mystery Ranch Fire Shelter Case Hip
112663-001-00	Mystery Ranch Fire Shelter Case Bottom (mounts to bottom of Mystery Ranch Hot Packs)



M2002TR
M2002TRLR



VFS-HR-3102-BK
Case only

HFS-HR-3102-BK
Case only



112664-001-00
Case only



112663-001-00
Case only

MYSTERY RANCH® WILDLAND WEB GEAR



SCAN FOR MORE



HOT SPEED CAL SPEC or
WOMEN'S HOT SPEED CAL SPEC
(harness anatomically designed)



HOTSHOT TL or
WOMEN'S HOTSHOT TL
(harness anatomically designed)



HOTSHOT or
WOMEN'S HOTSHOT
(harness anatomically designed)



SHIFT 900 MWP
with MOLLE Wing Pockets
(saw pad not included)



SHIFT
Shift Pack



110515-001-00
Hydro Reservoir (shown with
the SHIFT - sold separately)



SHIFT SC
Shift SC Pack



112682-001-00
Plus REM Pack



MONSTER
Monster Pack
(see more MONSTER Packs page 22)



FEMP
FEMP Pack



BELT BOX
Belt Box Bag



MED LID
Med Lid Bag



BIG LID 10
Big Lid 10 Bag



HOT LID
Hotshot Lid Bag



MURSE
Nurse Pack





WILDLAND



WILDLAND WEB GEAR



SCAN FOR MORE



LPH-CB-1201-BK-US
Legacy Collection - Low Profile Hydration Pack



DHU-HR-2401-BK-US
Legacy Collection - Detachable Hydration Unit



WEB-HR-1100-BK
Web Gear Harness



LPH-CB-1201-BK
Low Profile Hydration Pack System



DHU-HR-2401-BK
Detachable Hydration Pack



LAB-HR-3105-BK
Large Accessory Bag



MAB-HR-3104-BK & SAB-HR-3103-BK
Medium & Small Accessory Bags (sold separately)



HCT-HR-3106-BK
Hose Clamp and Tool Pouch



FTD-HR-3114-BK
Flagging Tape Dispenser (flagging tape not included)



LRH-3115-BK
Adjustable Large Radio Holster (radio not included)



PRC-HR-3113
Phantom Radio Chest Harness



PJR-HR-3112
Phantom Jr. Radio Chest Harness



TRH-HR-3114-BK
Triangular Radio Harness



GK-3110 (glove not included)
Glove Keeper



VTB-HR-3108-BK
V-Tab Bottle Holder (bottle not included)



WILDLAND HOSE PACKS



HP-2500-BK
Two Pocket Hose Pack for 2 - 100' length 1.5" or 1" hose. Zippered pouch to carry tools.

HP3-2501-BK
Three Pocket Hose Pack for 3 - 100' length 1.5" or 1" hose. Zippered pouch to carry tools.



DHP-2502-BK
Dropper Hose Lay Pack holds 2 - 1.5"x100" hoses.



SLH-2503-BK
Side Loading Hose Pack Load up to 3 - 1.5"x100" hoses. Right or Left sided loading.



HSH-2504-BK
Horse Shoe Hose Pack Load up to 3 - 1.5"x100" hoses. 2 easy access tool pouches.

MYSTERY RANCH HOSE PACK



DOUBLE DRAGON
Double Dragon Hose Pack

- Fits up to 400' of 1.5" hose
- Low-profile shoulder pads lay securely over line gear and can flip for top or bottom pay out
- Bolsters on the body panel provide stability when worn over yokes and hydration reservoirs

HumanNature HOSE PACK



- Capable of mixed hose loads
- Holds two 100' lengths of 1 1/2" single jacket hose
- Proven parachute release system for hose deployment

8072 Cut Away Hose Pack

FIRST IN™ PACKSACK



- Carries 100' wildland hose, nozzle, reducer, and wye
- 1000 Denier USA Cordura Nylon
- 2 each 3/8" closed-cell foam-padded shoulder straps attached with nylon webbing (rated at 1650 lbs. breaking strength)
- 1" adjustable Acetal Black Tension Lock Buckle


28042 Packsack, Forest Green



**NORTH AMERICAN
FIRE HOSE**

NORTH AMERICAN SINGLE JACKET WILDLAND HOSE

OUTBACK 600™



**Polyurethane (TPU) Lining
Polyester Single Jacket**

- Poly-Cord™ ring-spun polyester warp yarns are combined with filament polyester filler yarns
- High visibility yellow Ultra-Shield™ polymeric coating for improved abrasion resistance and reducing moisture and chemical absorption

NAFH-187™ TYPE I



**Polyurethane (TPU) Lining
Filament Polyester Single Jacket**

- Synthetic filament polyester warp and filler yarns
- Meets all requirements of the U.S. Forest Service Standard 5100-187 for Type I construction


OUTBACK 600™ HD



**EPDM Rubber Lining
Polyester Single Jacket**

- Same features as the OUTBACK 600, plus:
 - » The EPDM rubber lining is unaffected by Ozone deterioration, and is one component in the Friction Fighter System™, creating an extremely smooth waterway surface, thereby reducing friction loss and improving nozzle performance
 - » The Dura-Bond™ vulcanized fusing system, which creates both a mechanical and chemical permanent bond between the EPDM lining and the jacket to eliminate the possibility of delamination

NAFH-187™ TYPE II



**Polyurethane (TPU) Lining
Polyester Single Jacket**

- Poly-Cord™ ring-spun polyester warp yarns are combined with filament polyester filler yarns
- High visibility yellow Ultra-Shield™ polymeric coating for improved abrasion resistance and reducing moisture and chemical absorption
- Meets all requirements of the U.S. Forest Service Standard 5100-187 for Type II construction

also available with Expansion Ring Coupling

LIGHTWEIGHT BOOSTER HOSE 600



Manufactured by North American Fire Hose, this lightweight booster hose is 100% polyester jacket construction designed for ease of handling. The Dura-Bond vulcanized adhesion system, which creates both a mechanical and chemical bond between the EPDM lining and the jacket, reduces the probability of delamination as is experienced with competitive adhesive bonded rubber lined constructions.

Item #	Description
OB1X50YFN	Outback-600, 1"NH x 50' Coupled, Yellow, Ultra-Shield Coated
OB1X100YFN	Outback-600, 1"NH x 100' Coupled, Yellow, Ultra-Shield Coated
OB15X50YFN	Outback-600, 1.5"NH x 50' Coupled, Yellow, Ultra-Shield Coated
OB15X100YFN	Outback-600, 1.5"NH x 100' Coupled, Yellow, Ultra-Shield Coated
OBH1X50YFN	Outback-600 HD, 1"NH x 50' Coupled, Yellow, Ultra-Shield Coated
OBH1X100YFN	Outback-600 HD, 1"NH x 100' Coupled, Yellow, Ultra-Shield Coated
OBH15X50YFN	Outback-600 HD, 1.5"NH x 50' Coupled, Yellow, Ultra-Shield Coated
OBH15X100YFN	Outback-600 HD, 1.5"NH x 100' Coupled, Yellow, Ultra-Shield Coated
LBH1X100RRAN	Lightweight Booster Hose 600, 1"NH x 100' Re-Attachable Coupling

Item #	Description
1871X50PFN	NAFH-187 Type I, 1"NH x 50' Coupled, Plain White
1871X100PFN	NAFH-187 Type I, 1"NH x 100' Coupled, Plain White
18715X50PFN	NAFH-187 Type I, 1.5"NH x 50' Coupled, Plain White
18715X100PFN	NAFH-187 Type I, 1.5"NH x 100' Coupled, Plain White
18711X50YFN	NAFH-187 Type II, 1"NH x 50' Coupled, Yellow, Ultra-Shield Coated
18711X100YFN	NAFH-187 Type II, 1"NH x 100' Coupled, Yellow, Ultra-Shield Coated
187115X50YFN	NAFH-187 Type II, 1.5"NH x 50' Coupled, Yellow, Ultra-Shield Coated
187115X100YFN	NAFH-187 Type II, 1.5"NH x 100' Coupled, Yellow, Ultra-Shield Coated

Hoses also available with NPSH threads.



WILDLAND & QUICK DRAW HOSE



Item #	Description
8F15X100Y15N	8F Forestry Hose 187 Type II, Synthetic Single Jacket, 1.5"NH x 100' Coupled, Yellow, Dura-Cote Treatment, Polyurethane Lining
FH FIREQUIP	Flash Point Forestry Hose, Thermo-Polyurethane Single Jacket, 1.5"NH x 100' Coupled, Yellow and 1"NPSH x 100' Coupled, Yellow
FH58WB	Ultra Forestry Quik Draw, Polyester Single Jacket, .75"GHT x 50', Aluminum Couplings, White

NIEDNER | ALTRA FOREXFLO HOSE

Lightweight and compact, ALTRA FOREXFLO has standard brass GHT fittings, and is factory proof pressure tested at 300 PSI (2100 kPa). The 100% filament polyester, elastomer lined, single-jacket flat-woven hose is available in 5/8", with yellow ENCAP™ or untreated. ALTRA FOREXFLO options include a pouch for belt wear and a compact brass nozzle.



5/8" x 50' Coupled with 3/4" Brass GHT Couplings





NOZZLES



TWISTER TIP 1"

Dual gallonage nozzle with two flow settings at 100 psi. All lightweight materials, hardcoat anodized aluminum. This tip only design has a twist "off" position for break-and-extend operations. 1" NH rigid thread is standard.

Item #	Description
D1040	Twister Tip 1" NH (flow settings: 10 and 40 gpm)
D1040ID	Twister Tip 1" NPSH (flow settings: 10 and 40 gpm)
D1024	Twister Tip 1" NH (flow settings: 10 and 24 gpm)
D1024ID	Twister Tip 1" NPSH (flow settings: 10 and 24 gpm)

TWISTER TIP 1.5"

Dual gallonage nozzle with two flow settings at 100 psi. All lightweight materials, hardcoat anodized aluminum. This tip only design has a twist "off" position for break-and-extend operations. 1.5" NH rigid thread is standard.

Item #	Description
F2095	Twister Tip 1.5" NH (flow settings: 20 and 95 gpm)
F2095IF	Twister Tip 1.5" NPSH (flow settings: 20 and 95 gpm)
F2060	Twister Tip 1.5" NH (flow settings: 20 and 60 gpm)
F2060IF	Twister Tip 1.5" NPSH (flow settings: 20 and 60 gpm)

TWISTER TIP 1.5" 95 GPM

Single 95 gpm (360 l/min) setting. A perfect match with any 95 gpm foam eductor, for accurate foam application operations. Stand alone nozzle operates with a twist shut off operation. Ball valve models use a unique stainless steel ball shut off. All lightweight materials. Hardcoat anodized aluminum.

Item #	Description
F95	Twister Tip 1.5" NH
FS95	Twister Tip 1.5" NH with Shutoff
FS95P	Twister Tip 1.5" NH with Shutoff & Pistol Grip

TWISTER BARREL NOZZLE 1"

Dual-gallonage combination nozzle designed to meet the requirements of USFS 5100-239. The nozzle operates at 10 and 24 GPM (37 & 90 LPM) at 100 PSI (7 bar). Operators twist the front of the barrel through the following positions: off, low flow straight stream, low flow narrow fog, high flow straight stream, high flow fog.

Item #	Description
D1024FSS	Barrel Nozzle 1" NH (flow settings: 10 and 24 gpm)
D1024FSS-ID	Barrel Nozzle 1" NPSH (flow settings: 10 and 24 gpm)

TWISTER NOZZLE 1"

Dual gallonage nozzle with two flow settings at 100 psi. All lightweight materials, hardcoat anodized aluminum. Quick-change rear valve seat, stainless steel shut-off ball and a twist "off" position for positive shut off. Rocker lug 1" NH swivel is standard.

Item #	Description
DS1040	Twister Nozzle 1" NH (flow settings: 10 and 40 gpm)
DS1040ID	Twister Nozzle 1" NPSH (flow settings: 10 and 40 gpm)
DS1024	Twister Nozzle 1" NH (flow settings: 10 and 24 gpm)
DS1024ID	Twister Nozzle 1" NPSH (flow settings: 10 and 24 gpm)

TWISTER NOZZLE 1.5"

Dual gallonage nozzle with two flow settings at 100 psi. All lightweight materials, hardcoat anodized aluminum. Quick-change rear valve seat, stainless steel shut-off ball and a twist "off" position for positive shut off. Rocker lug 1.5" NH swivel is standard.

Item #	Description
FS2095	Twister Nozzle 1.5" NH (flow settings: 20 and 95 gpm)
FS2095IF	Twister Nozzle 1.5" NPSH (flow settings: 20 and 95 gpm)
FS2060	Twister Nozzle 1.5" NH (flow settings: 20 and 60 gpm)
FS2060IF	Twister Nozzle 1.5" NPSH (flow settings: 20 and 60 gpm)

BUBBLE CUP TIP 1"

Dual gallonage Bubble Cup nozzle with two flow settings of 10 and 24 gpm at 100 psi (37 and 90 l/min @ 7 bar). All lightweight materials, hard coat anodized aluminum. This tip only design has a twist "off" position for break-and-extend operations. 1.0" NH (25mm) rigid thread is standard.

Item #	Description
D1024BC	Bubble Cup Tip 1" NH (flow settings: 10 and 24 gpm)
D1024BCID	Bubble Cup Tip 1" NPSH (flow settings: 10 and 24 gpm)



DUAL RANGE NOZZLES

Item #	Description
NZ-DR-1NH	1" NH Dual Range Nozzle
NZ-DRB-1NH	1" NH Dual Range Nozzle (Bumperless)
NZ-DR60-15NH	1.5" NH Dual Range Nozzle, 20-60 GPM
NZ-DR90-15NH	1.5" NH Dual Range Nozzle, 20-90 GPM
NZ-DR-1NP	1" NPSH Dual Range Nozzle
NZ-DRB-1NP	1" NPSH Dual Range Nozzle (Bumperless)
NZ-DR60-15NP	1.5" NPSH Dual Range Nozzle, 20-60 GPM
NZ-DR90-15NP	1.5" NPSH Dual Range Nozzle, 20-90 GPM



NOZZLES & FOAM



Item #	Description
F100F	1.5"NH x 1.5"NH Ball Valve
ATNF-ID	1.5"NH x 1.5"NH x 1"NPSH Tee Valve
AYNJ-NF	2.5"NH x (2)1.5"NH Gated Wye
D75D	1"NH x 1"NH Ball Valve with .75" Waterway
D75D-ID	1"NPSH x 1"NPSH Ball Valve with .75" Waterway
FJ-MX-F	Foam Attachment for 1.5" Twister
FJ-MX-D	Foam Attachment for 1" Twister
WV15NH	1.5"NH x (2)1.5"NH Gated Wye
WV2515	2.5"NH x (2)1.5"NH Gated Wye
TV-15NH-1NP	1.5"NH x 1.5"NH x 1"NPSH Tee Valve
250319	1.5"NH x 1.5"NH M x 1"NPSH M 511-01 Hoseline Tee Valve
SOV-SW-15NH	1.5"NH x 1.5"NH Ball Valve



FOAM



Item #	Description
WD881	PHOS-CHEK Class A Foam (also sold in 4 oz. bottle)
434467	Ansil Silv-ex Plus Class A Foam
20001	Solberg FIRE-BRAKE Class A Foam

Don't forget foam container wrenches



More details found on page 16

PRO/pak PORTABLE FOAM SYSTEM



TASK FORCE TIPS

FIRE FIGHTING EQUIPMENT

The ideal choice for rapid vapor suppression with any Class A, AFFF, or Alcohol Resistant foam concentrate.



Item #	Description
UM12	1" Coupling, NH Thread
UM12-NF	1.5" Angled Coupling, NH Thread



TASK FORCE TIPS

FIRE FIGHTING EQUIPMENT

STRAIGHT TIPS

Straight tips with smooth inside taper. NPSH threads also available.



Item #	Description
FSS3	Straight Tip 1.5"NH x 1-1/16" orifice
FSS4	Straight Tip 1.5"NH x 1-3/16" orifice
FSS5	Straight Tip 1.5"NH x 1/2" orifice
FSS6	Straight Tip 1.5"NH x 5/8" orifice
FSS7	Straight Tip 1.5"NH x 3/4" orifice
FSS8	Straight Tip 1.5"NH x 7/8" orifice
FSS9	Straight Tip 1.5"NH x 1" orifice
FSS10	Straight Tip 1.5"NH x 1-1/8" orifice
FSS11	Straight Tip 1.5"NH x 1-1/4" orifice
FSS12	Straight Tip 1.5"NH x 15/16" orifice



TASK FORCE TIPS

FIRE FIGHTING EQUIPMENT

SMOOTH BORE SET



The Six Pack allows you to change smooth bore orifice sizes by simply removing and replacing a rubber gasket from a hardcoat anodized aluminum coupling. There are 6 different orifice sizes included: 1/8", 3/16", 1/4", 5/16", 3/8", and 7/16". The inserts are made from a lightweight and durable black nylon.

Item #	Description
DSB	1" NH Smooth Bore Set
DSBID	1" NPSH Smooth Bore Set

LNCURTIS.com



877.488.0469

MISCELLANEOUS NOZZLES & VALVES

1030	1" NH or NPSH (22 GPM) or 3/4" GHT (8 GPM) Combi Fog Nozzle
1575	1-1/2" NH or NPSH Polycarbonate Combi Fog Nozzle (75 GPM)
AAPN75GHT	Adjustable mop-up nozzle, 3/4" GHT
500AN4	Adjustable mop-up nozzle, 4" length, 3/4" GHT
W222M	Straight Hose Shut-off, 3/4" GHT x 3/4" GHT hose valve, zinc
W321	3/4" GHT, 2-way valve, plastic
W321M	3/4" GHT, 2-way valve, zinc
410	Foot Valve Strainer, 60SE (NPT* in 1", 1.5", 2", 2.5", 3", & 4")
250151	WATERAX B-5258 Foot Valve & Strainer 2" NPSH
250288	WATERAX Foot Valve & Strainer 1-1/2" NPSH ALU
23952	Foot Valve & Strainer 1.5" NH (other sizes and threads available)

*Adapter sold separately for NH or NPSH thread connection.



WARNING: This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm-
www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm-
www.P65Warnings.ca.gov

FITTINGS

Multiple fittings for multiple needs:

- Female x Male
- Double Swiveling Females
- Double Male Nipples



WRENCHES & HOLDERS

MG-100	EZ Spanner Mini-Goat Multi-Purpose Tool, silver, blue or red
PSW74Z01Z	South Park Folding Pocket Spanner Wrench
103	Red Head hole type spanner for .75" and 1" booster hose fittings
A3840	TFT Wrench Bracket with 2 Universal Spanner Wrenches
SPAN1	Res-Q-Rench, spanner-gas-O2 shutoff
SW-1	S&H Forestry Wrench
UFCW	Ziamatic Universal Foam Container Wrench, lightweight aluminum
4578-YF	Scotty Drum & Pail Wrench, glass reinforced plastic, high-vis yellow



HOSE STRAPS & HOSE ROLLERS

CL2	2' x 2" Hose Strap in Red, White, or Black
CL41	4' x 1" Hose Strap in Red, White, or Black
CL16	6' x 1" Hose Strap in Red, White, or Black
CL42	4' x 2" Hose Strap in Red, White, or Black
HRRB	Hose Retaining Rubber Bands, 9.5" x 1.37" (~13 Bands per Pack)
MC40	1" to 1-1/2" Rapid Coil Hose Roller w/Standard Mounting Bracket
MC65	1-1/2" to 3" Rapid Coil Hose Roller w/Standard Mounting Bracket



HOSE CLAMPS

A3095	TFT Forestry Hose Clamp
FF1S	Timberline Hose Clamp 12"L x 4"W
250139	Wildfire Hose Clamp 11.5"L, B-5420
HC1510	Forestry Hose Clamp for 1" & 1.5" Hose
HC1510-HIGH-VIZ	Forestry Hose Clamp, High-Viz
HC-15	Forestry Hose Clamp for 1" & 1.5" Hose



WATERAX

MARK-3® WATSON EDITION

SCAN FOR MORE
PRODUCTS FROM
WATERAX



Maintaining the tradition while moving technology forward: the MARK-3® Watson Edition plugs right into your existing MARK-3® water-moving systems. It will set a new benchmark of excellence for high-pressure fire pumps in the wildland firefighting community for generations to come.

MOBILITY

- Unit is 30% lighter and 20% smaller than the original Mark-3
- Integrated carriage system
- Easy loading / unloading
- Option to backpack engine side up or down
- Integrated carry handle

USER-FRIENDLINESS

- LED visual interface
- Engine operating status
- Troubleshooting function
- Integrated hour meter and tachometer
- High temperature protection

EASE OF START

- Less force required for easier pull start
- Foothold for improved steadiness
- Engine warm-up indicator
- Anti-flooding feature reduces risk of flooding engine

SAFETY

- Ergonomic carriage system reduces the risk of back injuries
- Padded straps protect shoulders and back from bruising
- Muffler heat shield protects against severe burns
- Lighter pump reduces incidence and severity of slips, trips, falls and transport-related injuries



MK3-W 100137

MARK-3®


The MARK-3® pump is known for high performance, reliability and durability and has been the pump of choice for many wildland fire agencies for decades. Its consistent high-pressure output, ability to pump in tandem or series, and toughness to withstand the rigors of firefighting have made the MARK-3® the core of most remote water-delivery systems in wildland fire suppression.



MARK-3

BB-4®

The BB-4® comes in portable and vehicle mounted configurations and all models feature a unique greaseless sealed bearing and a blister-resistant mechanical rotary seal. A unique feature of the BB-4® pump is the quick release pump end that is interchangeable with the MARK-3® pump.



BB-4®

MINI-STRIKER®

The MINI-STRIKER® pump pairs a reliable single stage pump end with the Honda 4-stroke 2.5 HP engine. Extremely portable and lightweight, this mini powerhouse performs well when used by itself or in tandem with other pumps, and is a very popular choice for entry level skid applications.



MINI-STRIKER

IN-STOCK*: MINI-STRIKER #100053, Model #MSTR-P
*Generally in stock and subject to prior sale

PORTABLE BACKPACK PUMPS

190514 Smokechaser Pro 5-Gallon Fire Pump by Indian

Designed to offer the most comfort in the most grueling conditions of fire control. Equipped with the all-brass Fedco pump that is approved by the US Forest Service, the Smokechaser Pro also features a heavy-duty, flexible bladder that forms to the user's back when filled and is protected within a durable nylon bag.



WARNING: This product can expose you to chemicals including Antimony Trioxide, DiNP and Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm. This product can expose you to chemicals including Lead, which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

WARNING: This product can expose you to chemicals including Antimony Trioxide, DiNP and Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

WARNING: This product can expose you to chemicals including Antimony Trioxide, DiNP and Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Item #	Description
190514	Indian Smokechaser Pro Backpack with FP100 Fire Pump (5-gal)
179014-1	90G Indian Fire Pump, Galvanized Steel (5-gal)
190654	Indian Smokechaser Pro Backpack with FP300 Dual Action Fire Pump (5-gal)
179061V	FSV500 Indian Smokechaser Fedco Collapsible Fire Pump, Vinyl (5-gal)



DIRECT DRIVE FLOATING PUMP

The CET Direct Drive Honda Floating Pump is the most efficient on the market. This lightweight heavy duty polypropylene floater gives you the highest volume in its range. Features Honda engine GXV390 and the CET Fire Pump 3-year Limited Warranty.



CET Fire Pump PFP-13HPHND-FL with Honda engine GXV390

PRO/pak PORTABLE FOAM SYSTEM



The ideal choice for rapid vapor suppression with any Class A, AFFF, or Alcohol Resistant foam concentrate.

Item #	Description
UM12	1" Coupling, NH Thread
UM12-NF	1.5" Angled Coupling, NH Thread



UM12-NF

WATER TANKS

Husky® has a large selection of Portable Water Tanks in different shapes and sizes. They are easy to set-up, tear down, and store.

Husky Collapsible Aluminum Folding Frame Water Tank



Husky Self-Supporting Portable Water Tank

Folding Frame Tanks come equipped with Husky's patented Easy Lift Handles and Quick-Release Drain Tube. **Self-Supporting Water Tanks** are the perfect solution when storage and manpower are a concern.



CUSTOM-BUILT SKID UNITS

Design a custom unit to meet your specific needs:

- Truck
- ATV/UTV
- Chassis

Start with standard features and add a multitude of options and accessories.


Every unit is inspected and tested to make sure the product you receive meets your expectations.

CONTACT CURTIS
TO GET STARTED



PRE-BUILT QUICK DELIVERY SKID UNITS

ATTACK PAC



- 200 fully baffled polypropylene water tank
- 20hp mid range fire pump
- 265gpm at 50psi, 190gpm at 100psi, 115gpm at 150psi and 45gpm at 200psi
- 3 gallon fuel tank
- Lighted control panel
- Low profile electric rewind hose reel
- 1 inch x 100 foot booster hose
- 2.5 inch tank to pump 1/4 turn ball valve
- Steel manifold with multiple outlets
- 1.5 inch service line with cap and chain
- .75 inch pressurized garden hose connection

SKEETER SPACE PAC



- 75-gallon fully baffled polypropylene water tank
- 6.5hp twin impeller fire pump
- 70gpm at 10psi, 40gpm at 100psi and 20gpm at 125psi
- 1.5 gallons integrated fuel tank
- Lighted control panel
- 1.5 inch tank to pump 1/4 turn ball valve
- Multiple outlets manifold
- 1.5 inch and 1 inch service lines with cap and chain
- Stoke(s) basket area

FOREST PAC



- 200-gallon fully baffled polypropylene water tank
- 6.5hp twin impeller fire pump
- 70gpm at 10psi, 40gpm at 100psi and 20gpm at 125psi
- 0.8 gallons integrated fuel tank
- Lighted control panel
- Low profile electric rewind hose reel
- 1 inch x 100 foot booster hose
- 2.5 inch tank to pump 1/4 turn ball valve
- Multiple outlets manifold
- 1.5 inch service line with cap and chain





WILDLAND

1237500	Round Point Shovel
*FFSHOSS38 FSS	Fire Shovel, Solid Shank, 38" Handle
*MT48 FSS	McLeod Tool
SCAL48	McLeod Tool, 48" or 40" Handle (SCAL40)
60A	6" Rogue Hoe with Pick, 40" Handle
*CT42 FSS	Combination Tool, Pick & Shovel, 42" Handle
*38PE136 NFES	Pulaski Axe NFES Version, 36", 3.75#
*38PE136	Pulaski Axe, 36", 3.75#
SUPER P PRO-48	Pulaski Axe, 48" or 40" Handle (SUPER P PRO-40)
**FS15 FSS	Fire Swatter
*LW12-60 FSS	Fire Rake, 60" Handle
*LW12-52 FSS	Fire Rake, 52" Handle
33045	Swedish Safety Brush Axe
BF48	12" Hoe, 48" or 40" Handle (BF40)
CHINGADERA 48	9-1/2" Hoe, 48" or 40" Handle (CHINGADERA 40)
70H	7" Rogue Hoe, 40" Handle
70HR	7" Rogue Hoe/Rake, varying handle lengths
FB70H	7" Field Rogue Hoe, 40" Handle
55-H	5.5" Rogue Hoe, 40" Handle
55HX	The Beast 5.5" Rogue Hoe, 40", 48", or 54" Handle
80R	Rhino 8" Rogue Hoe, varying lengths: 80R-H 40" Hickory Handle, 80R-42 42" Ash Handle, 80R-48 48" Ash Handle, 80R-54 54" Ash Handle
HOE40	J.R. Fire Tools 8" W x 7-3/4" Hoe, 40" Hickory Handle
HOE48	J.R. Fire Tools 8" W x 7-3/4" Hoe, 48" Ash Handle
POUNDER II	J.R. Fire Tools 8" W x 9-1/2" Hoe, 40" Hickory Handle or 48" Ash Handle
SCALPER	J.R. Fire Tools 10.25" Hoe, 40" Hickory Handle or 48" Ash Handle
501411	CMC DOUBLE CLUTCH TTRS Kit, 11 mm (501413 for 13 mm)

* **WARNING:** This product contains Nickel (Metallic), a chemical known to the State of California to cause cancer. For more information, go to www.p65warnings.com.

** **WARNING:** This product contains Carbon Black, a chemical known to the State of California to cause cancer. For more information, go to www.p65warnings.com.



PERFORMANCE ADVANTAGE COMPANY BRACKETS & MOUNTING OPTIONS

We carry the full-line from Performance Advantage Company. Contact us for all available brackets and mounting options.




CMC™ Double CLUTCH TTRS Kit

This Twin Tension Rope System (TTRS) Kit delivers best practice, twin-tension hauling and lowering for technical operations. With the TTRS Kit, rescuers can build mechanical advantage systems on two rope systems simultaneously. Organized, color-coded, and ready-to-go, this kit minimizes gear sorting and allocation.




WILDLAND FIREFIGHTING INSTRUCTIONAL MATERIALS



36712

36714



36329

36349



36198

Item #	Description
36712 IFSTA	Book: Firefighter's Handbook on Wildland Firefighting, Strategy, Tactics, and Safety, 4th Edition eBook: 75188 IFSTA Curriculum USB Flashdrive: 36714 IFSTA
36329 IFSTA	Book: Leadership for the Wildland Fire Officer: Leading in a Dangerous Profession, 2nd Edition eBook: 75248 IFSTA Curriculum USB Flashdrive: 36349 IFSTA
36198 IFSTA	Book: Special Operations Incidents Involving Hazardous Materials/WMD Structural Collapse, Wildland, and Managing Large-Scale Incidents Using NIMS-ICS eBook: 75127 IFSTA
28086-9 J&B PUB	2024 edition: Wildland Fire Fighter: Principles and Practice, 2nd Edition Instructor's Toolkit: 1178-20ITK J&B
1178-2A J&B PUB	2021 edition: Wildland Fire Fighter: Principles and Practice, 2nd Edition
DC-1077-22	Pocket Guide: NIFC Incident Response Pocket Guide, 2022 Edition



28086-9



1178-20ITK



1178-2A



DC-1077-22

HYDRATION & REHABILITATION

Item #	Description
PR20CB	2-Quart Oasis Western Canteen
PR40CB	4-Quart Oasis Western Canteen
P15DCN	1.5-Quart Oasis Scout Oval Canteen
93275	1-Quart Forest Ranger Canteen
90352	CamelBak OMEGA Water Beast 3L Reservoir
EWC	Wheeled Elite Pelican Cooler, multiple colors and sizes available
EC	Standard Elite Pelican Cooler, multiple colors and sizes available
EX50Li	RAMFAN All-Purpose Battery Ventilator (optional Integrated Mister)



P15DCN



PR40CB
PR20CB



90352



93275

RAMFAN® EX50Li All-Purpose Battery Ventilator

With an optional Integrated Mister for rehabilitation, this all-purpose ventilator with swappable batteries starts instantly on battery power and lasts 45 minutes on max speed or hours on low speed to keep air moving.



EX50Li



EWC or EC
Standard Coolers - Multiple Colors & Sizes





CHAINSAW & CHAPS

Item #	Description
CSC*	PGI Chainsaw Chaps UL Classified 4-ply, Green or Orange, Lengths: 32", 36", or 40"
PCSC**	PGI Chainsaw Chaps UL Classified 5-ply, Green or Orange, Lengths: 32", 36", or 40"
SB2X	True North Saw Bar Cover, Black, Lengths: 20", 24", or 28"
CSS	Wolfpack Gear Chainsaw Scabbard, Lengths: 24" or 28"
LSP-3115-BK	Wolfpack Gear Sawyer Pad, 9" x 6"
CH210	True North Chainsaw Pack
MSR FUEL BOTTLES	Fuel Bottle, 20 oz. or 30 oz.



WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

- *CSC UL Classified to:**
- ASTM F1897-20 Standard Specification for leg protection for chainsaw users
- **PCSC UL Classified to:**
- NFPA 1977, Standard on Protective Clothing & Equipment for Wildland Firefighting - Current Edition
 - ASTM F1897-20 Standard Specification for leg protection for chainsaw users

GEAR BAGS



Item #	Description
8800-00-RED	X-Large Turnout Gear Bag, 30" x 14" x 20"
M8112L-TB	MERET TURNOUT™ PRO X Bag, 22" x 20.5" x 19"
OK3000 OK1	OK-1 Large Firefighter Gear Bag, 29" x 17" x 16"
PPE-CS-7002-BK	Wolfpack Gear PPE Duffel Bag, 22" x 11" x 20"
FF-19J	Hawkepaks Turnout Gear Bag, 29.5" x 18.5" x 18"
FF-42J	Hawkepaks Turnout Gear Bag, 20" x 13" x 14"
198FFXL	R&B Fabrications Econo Gear Bag, 13.5" x 16" x 24"
8804-00-RED	Seco Out-Of-County Gear Bag, 23" x 15" x 10"
6565001	OK-1 Large Gear Bag with Wheels, 29" x 17" x 16"
OOC-CS-7206-RD	Wolfpack Gear Out of County Bag, Red, 22" x 15" x 12"
MONSTER	Mystery Ranch Monster Pack, 27.5" x 14.75" x 11.75"
FLIGHT MONSTER	Mystery Ranch Flight Monster Pack, 31.25" x 17" x 15.5"
GB-50015	DMS TPU Fabric Gear Bag for contaminated gear, Red, 30" x 15" x 14"



FIRST AID & MEDICAL EQUIPMENT

Item #	Description
01429BK	Wildland Firefighter IFAK Kit (WIFAK)
82-0000	Solo IFAK (Individual First Aid Kit)
82-0002	Micro IFAK (Individual First Aid Kit)



READY TO EAT MEALS

Item #	Description
200601	XMRE*, 12 ready to eat meals
200611	XMRE 24HR*, 4 ready to eat meals

*Both include flameless heaters



200601

200611

DECON MANAGEMENT

Item #	Description
DECONCLOTHCS	Bullard Decon Cloths, sold in case of 12 boxes (20 individually wrapped cloths per box)
FW-0207-BX	Firewipes, box of 12 individually packaged wipes
FW-0207-BU	Firewipes, 16 bags - 25 wipes per bag - 400 total
UM12-D	TFT DECON/pak
DECON STARTER KIT	CURTIS Decon Starter Kit
SSP-SH-500	Sootsoap Shampoo, 16.9 oz.
SSP-HB-500	Sootsoap Hand & Body Soap, 16.9 oz.
SSP-HB-250	Sootsoap Hand & Body Soap, 8.45 oz.

SOOTSOAP harnesses the power of Binchotan White Charcoal and other natural ingredients to draw out chemicals, pollutants and impurities from the skin and hair for a deep, natural, detoxifying clean.



SSP-SH-500

SSP-HB-500 (16.9 oz.)
SSP-HB-250 (8.45 oz.)

CURTIS DECON STARTER KIT

- TFT DECON/pak™
- Case of Bullard Decon Cloths
- DQE 5-Gallon Decon Bucket
- Box of COBALT Powder-Free Nitrile Gloves
- DQE Responder Brush



FW-0207-BX, 12 wipes



DECONCLOTHCS



UM12-D

Item #	Description
85066	Sure-Seal Drip Torch
700825	Bracket for Drip Torch
4100	Orion 10-Minute Back Fire Torch
PWV1250*	Bushnell Powerview 2 12x50mm Folding Roof Prism Binoculars*
010-02451-10	Garmin GPSMAP 65s
010-02451-00	Garmin GPSMAP 65
0830	Kestrel 3000 Pocket Weather Meter
0835	Kestrel 3500 Weather Meter
0835FWORA	Kestrel 3500 Fire Weather Meter
0855YEL	Kestrel 5500 Weather Meter
0855FWORA	Kestrel 5500 Fire Weather Meter Pro (also 0855FWLORA, includes LiNK + Vane Mount)
89088**	Jim-Gem Fire Weather Instrument Kit**

85066



010-02451-10

010-02451-00

0830

0835

0835FWORA

0855YEL

0855FWORA
0855FWLORA



700825



89088**



PWV1250*

4100

*Below warning for item #PWV1250

WARNING: This product can expose you to chemicals including 1,3-butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

**Jim-Gem Kit #89088 includes:

- Wind Meter
- Compass Graduated 0-360° (Azimuth)
- Sling Psychrometer and Psychrometer Slide Rule
- Water Bottle for Wet Bulb
- 100 Page Notebook
- Mechanical Pencil
- Belt-Worn Carrying Case

EDGE

PPE ASSET MANAGEMENT TOOL



Meets NFPA Record
Keeping Guidelines



SCAN FOR
MORE DETAILS



The Fotokite Sigma. A situational awareness system for first responders.

The Fotokite Sigma allows you to gain an impressive, unobstructed overview of an incident in an instant.

Consisting of the Ground Station and the Kite, a tablet or computer runs the Fotokite Live App which shows the real-time thermal and low-light video streams. This gives teams actionable information throughout their mission safely and reliably; no piloting necessary.



SCAN FOR
DEMO



CURTIS

TOOLS FOR HEROES®



SCAN TO
CONTACT US

©2024 L.N. Curtis & sons

Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.